

PROTEC

Creation date: October 29, 2003 Revision date: May 9, 2022

# Safety Data Sheet (SDS)

# 1. Product & Company Identification

Product Name

Chemical Foam A Agent

Manufacturer : Yamato Protec Corporation

Address : 5-17-2 Shirokanedai, Minato-ku, Tokyo

Phone Number : 0570-080100 (Navi Dial)

Department : Technical Support

Suggested Use & Limitations on Use : Fire Extinguishing Agent

#### 2. Hazards Identification

#### **GHS** Classification

Items not listed below are "Not classified", "Unclassifiable"

Health Hazards

Acute Toxicity (Oral) : Category 5
Skin Corrosion/Irritation : Category 3
Serious Eye Damage/Eye Irritation : Category 2B
Representation or Symbol : Unclassifiable
Alert Level : Warming

Health hazaed ststements

May be harmful if swallowed Causes mild skin irritation

Causes eye irritation Precautionary statement

**Safety Precautions** 

Do not handle until all safety precautions have been read and understood.

Wash hands thoroughly after handling.

First Aid Measures

IF SWALLOWED

Call a POISON CENTER/ doctor if you feel unwell.

IF ON SKIN

If skin irritation occurs: Get medical advice/attention.



[Chemical Foam A Agent]: Yamato Protec Corporation

Reference number: SDS No.012-5 Creation date: October 29, 2003 Revision date: May 9, 2022

## IF IN EYES

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

#### Storage

Avoid high humidity, keep the product within the operating temperature range, and if possible, under lock indoors.

## Disposal

The contents and the container should be disposed of by waste disposal contractors licensed by the Governor.

# 3. Composition/Information on Ingredients

Single Component or Mixture : Mixture

Chemical Name or Common Name : ABC dry chemical (chemical foam)

Chemical Name or Common Name	CAS Number	JCSCL Number	Concentration or Concentration Range
Sodiumu hydrogen carbonate	144-55-8	(1)-164	90 % and over
Chemical foam stailization agent	Trade secret	Trade secret	Trade secret

#### 4. First Aid Measures

## IF INHALED

Call a POISON CENTER/ doctor if you feel unwell.

#### IF ON SKIN

If skin irritation occurs: Get medical advice/attention.

#### IF IN EYES

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.


#### IF SWALLOWED

Call a POISON CENTER/ doctor if you feel unwell.

# 5. Fire Fighting Measures

Fire Extinguishing Agent : Not applicable due to non-combustibility

Fire Extinguishing Agent Not To Be Used : Not applicable
Special Hazards : No data available
Special Fire Fighting Procedures : Not applicable
Protection of Fire Fighters : Not applicable



PROTEC

Creation date: October 29, 2003 Revision date: May 9, 2022

## 6. Leakage Measures

Personal Precautions, Protective Equipment and Emergency Measures

The workers should wear suitable protective equipment (See "8. Exposure Prevention and Protection Measures").

For indoor use, provide adequate ventilation until treatment is complete.

Prohibit unauthorized persons from entering the leaked place by stretching a rope, etc.

Do not touch any damaged container or leaked material without wearing suitable protective clothing. Stay in the wind.

Ventilate sealed places.

**Environmental Precautions** 

Be careful not to affect the environment by discharging into rivers and others.

Dispose of the collection as industrial waste.

Containment, and cleanup procedures and equipment

Sweep scattered matter together into a sealable container and dispose of it according to "13. Disposal Considerations". Then, wash off with plenty of water. In this case, be careful so that thick waste fluid does not flow into rivers and others.

Prevention of Secondary hazards

Collect leaked material immediately.

Prohibit unauthorized persons from entering the area around the leaked place.

In the case of inflow into rivers or public waterways, report to the person in charge of pollution in the local government immediately.

# 7. Handling and Storage Instructions

Handling

Technical Measures : Implement measures stated in "8. Exposure Prevention and

Protection Measures" and wear suitable protective equipment

such as protective glasses and gloves, if required.

Precautions for Safety Handling : None in particular

Hygiene Measures : Wash hands thoroughly after handling.

Storage

Storage : Avoid high humidity, keep the product within the operating

temperature range, and if possible, under lock indoors.

Container and Packing Material : Product container or appropriate fire extinguishing equipment,

etc.



[Chemical Foam A Agent] : Yamato Protec Corporation

Reference number: SDS No.012-5 Creation date: October 29, 2003 Revision date: May 9, 2022

# 8. Exposure Prevention and Protection Measures

Control Concentration

Not specified.

Allowable Concentration

Not specified.

**Equipment Measures** 

Install exhaust equipment in the dust work place.

Protective Equipment

Respiratory Protective Equipment : Wear suitable respiratory protective equipment.

Hand Protection : Wear suitable protective gloves. Eye Protection : Use suitable eye protection.

## 9. Physical and Chemical Properties

Physical State : powder

Color : Slightly yellow
Odor : Unique odor
Melting Point/Freezing Point : No data available
Boiling Point, initial boiling point and Boiling Range : No data available

Flammability : Not applicable

Lower and upper explosion limit/ flammability limit : Not applicable : No data available Autoignition Temperature : No data available

Decomposition Temperature : No data available pH : 8.0 (8% water solution) (20 °C)

Kinematic viscosity (Viscosity)

: No data available
Solubility

: Almost soluble in water

Partition coefficient n-octanol/ water (log value)

Vapor Pressure

Density and/ or relative density (specific gravity)

Relative vapour density

: Annost soluble in water (log value)

: No data available

: No data available

: No data available

Particle characteristics : No data available : No data available



[Chemical Foam A Agent] : Yamato Protec Corporation Reference number: SDS No.012-5

Creation date: October 29, 2003 Revision date: May 9, 2022



#### 10. Stability and Reactivity

Reactivity : No data available

Chemical stability : Reacts with acidic substances and generates carbon dioxide gas.

Carbon dioxide gas is generated by heating.

Hazardous Reactivity : No hazardous reactivity under normal handling conditions.

Conditions to Avoid : No data available Incompatible Hazardous Materials : No data available Hazardous Decomposition Products : No data available

# 11. Toxicological Information

**Acute Toxicity** 

Oral : Category 5
Demal : Not classified
Inhalation :Gass : Unclassifiable
:Vapours : Unclassifiable
:Dust and Mist : Unclassifiable
Skin Corrosion/Irritation : Category 3

Serious Eye Damage/Eye Irritation : Category 2B Respiratory or Skin Sensitization : Unclassifiable Germ-Cell Mutagenicity : Unclassifiable Carcinogenicity : Unclassifiable Reproductive Toxicity : Unclassifiable Specific Target Organ Toxicity (Single exposure): : Not classified Specific Target Organ Toxicity (Repeated exposure): : Unclassifiable Aspiration Hazard : Unclassifiable

# 12. Environmental Impact Information

Ecotoxicity

Hazardous to the aquatic environment – Acute hazard : Unclassifiable
Hazardous to the aquatic environment – Long term hazard : Unclassifiable
Persistence and Decomposability : No data available
Bioaccumulation : No data available
Migration in Soil : No data available
Hazardous to the ozonelayer : Unclassifiable



[Chemical Foam A Agent]: Yamato Protec Corporation

Reference number: SDS No.012-5 Creation date: October 29, 2003 Revision date: May 9, 2022

# 13. Disposal Considerations

#### Residual Waste

Disposal should be in accordance with applicable laws and local regulations. The substance should be disposed of by waste disposal contractors licensed by the Governor or by local public entities if appropriate. Waste disposal contractor, if used, should be well informed of potential hazards and toxicity from the waste.

# Contaminated Containers and Packages

Containers should be properly disposed of in accordance with applicable laws and local regulations. If containers are disposed of, their contents should be completely removed.

# 14. Transport Considerations

United Nations Number : When filled in a fire extinguisher, UN1044

Product Name : FIRE EXTINGUISHERS with compressed or liquefied gas

United Nations Classification : 2.2


Container Class : Not applicable

Marine Pollution Materials : No data available

Special Safety Measures : Not applicable

National Regulations:

Land Regulatory Information Follow the provisions of the Fire Service Act
Aeronautical Regulatory Information Follow the provisions of the Civil Aeronautics Act
Maritime Regulatory Information Follow the provisions of the Ship Safety Act



Creation date: October 29, 2003 Revision date: May 9, 2022



#### 15. Applicable Laws

Industrial Safety and Health Act

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof (PRTR Law)

Not applicable

Poisonous and Deleterious Substances Control Act

Not applicable

Fire Service Act

Not applicable as dangerous goods

Civil Aeronautics Act

Not applicable

Ship Safety Act

Not applicable

Water Pollution Control Act

Not applicable


Sea Pollution Prevention Act

Not applicable

#### 16. Other Information

This product should be used with the understanding that the use of any chemicals involves unknown potential hazards and toxicity. Hazards and toxicity depend on the environment of use and the storage conditions and period. We suggest that those with knowledge and experience be involved in all stages from use through storage and disposal.

The instructions provided in this document should apply when the product is handled normally. If the product is handled in a special way, proper safety precautions should be taken. Also, it should be used under the responsibility of the user.



Creation date: October 29, 2003 Revision date: May 9, 2022



# Safety Data Sheet (SDS)

# 1. Product & Company Identification

Product Name

Chemical Foam B Agent

Manufacturer : Yamato Protec Corporation

Address : 5-17-2 Shirokanedai, Minato-ku, Tokyo

Phone Number : 0570-080100 (Navi Dial)

Department : Technical Support

Suggested Use & Limitations on Use : Fire Extinguishing Agent

## 2. Hazards Identification

#### **GHS** Classification

Items not listed below are "Not classified", "Unclassifiable"

Health Hazards

Serious Eye Damage/Eye Irritation : Category 2A

Environmental Hazards

Hazardous to the aquatic environment – Acute hazard : Category 3

Hazardous to the aquatic environment – Long term hazard : Category 3

Representation or Symbol:

Alert Level : Warning

Hazard/Toxicity Information

Causes serious eye irritation

Harmful to aquatic life

Harmful to aquatic life with long lasting effects



[Chemical Foam B Agent] : Yamato Protec Corporation

Reference number: SDS No.013-5 Creation date: October 29, 2003 Revision date: May 9, 2022

## Precautionary statement

## Safety Precautions

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash hands thoroughly after handling.

Avoid release to the environment.

## First Aid Measures

#### IF SWALLOWED

Call a POISON CENTER/ doctor if you feel unwell.

#### IF IN EYES

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

# Storage

Avoid high humidity, keep the product within the operating temperature range, and if possible, under lock indoors.

## Disposal

The contents and the container should be disposed of by waste disposal contractors licensed by the Governor.

## 3. Composition/Information on Ingredients

Single Component or Mixture : Single component

Chemical Name or Common Name : Fire-Extinguishing Chemical Agent (Chemical foam B agent)

Chemical Name or Common Name	CAS Number	Official Gazette Reference Code	Concentration or Concentration Range
Aluminum sulfate	10043-01-3	(1)-25	99% or above

#### 4. First Aid Measures

## IF INHALED

Call a POISON CENTER/ doctor if you feel unwell.

#### IF ON SKIN

If skin irritation occurs: Get medical advice/attention.

#### IF IN EYES

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

#### IF SWALLOWED

Call a POISON CENTER/ doctor if you feel unwell.



[Chemical Foam B Agent]: Yamato Protec Corporation

Reference number: SDS No.013-5 Creation date: October 29, 2003 Revision date: May 9, 2022

# 5. Fire Fighting Measures

Fire Extinguishing Agent : Not applicable due to non-combustibility

Fire Extinguishing Agent Not To Be Used : None in particular

Special Hazards : High-temperature decomposition produces sulfur oxide.

Special Fire Fighting Procedures : Not applicable Protection of Fire Fighters : Not applicable

## 6. Leakage Measures

Personal Precautions, Protective Equipment and Emergency Measures

Immediately isolate the appropriate distances in all directions as leakage area.

Prohibit unauthorized persons from entering the area.

The workers should wear suitable protective equipment (See "8. Exposure Prevention and Protection Measures") and avoid eye or skin contact and inhalation.

Do not touch any damaged container or leaked material without wearing suitable protective clothing. Stay in the wind.

Ventilate sealed places.

#### **Environmental Precautions**

Be careful not to affect the environment by discharging into rivers and others.

Dispose of the collection as industrial waste.

Collection, neutralization, containment, and cleanup procedures and equipment

Sweep scattered matter together into a sealable container and dispose of it according to "13. Disposal Considerations". Then, wash off with plenty of water. In this case, be careful so that thick waste fluid does not flow into rivers and others.

# Prevention of Secondary hazards

Collect leaked material immediately.

Prohibit unauthorized persons from entering the area around the leaked place.

In the case of inflow into rivers or public waterways, report to the person in charge of pollution in the local government immediately.



[Chemical Foam B Agent]: Yamato Protec Corporation

Reference number: SDS No.013-5 Creation date: October 29, 2003 Revision date: May 9, 2022

## 7. Handling and Storage Instructions

Handling

Safe Handling Instructions : Wear protective equipment (Clause 8) to prevent contact or inhalation.

Contact Avoidance : Avoid mix and contact, since mix or contact with hypochlorous acid

salts (hypochlorous acid soda, bleaching agent, bleaching powder,

chlorine, etc.) produces toxic chlorine gas.

: Wash hands and face thoroughly after handling. Hygiene Measures

Storage

: Avoid high humidity, keep the product within the operating Storage

temperature range, and if possible, under lock indoors.

: Product container and appropriate product equipment Container and Packing Material

## 8. Exposure Prevention and Protection Measures

Allowable Concentration: No data available

: Install a safety shower, hand wash or face wash equipment nearby as needed. **Equipment Measures** 

Protective Equipment

Respiratory Protective Equipment : Wear suitable respiratory protective equipment.

**Hand Protection** : Wear suitable protective gloves. **Eye Protection** : Use suitable eye protection.

Skin and Body Protection : Wear suitable protective clothing and masks.

# 9. Physical and Chemical Properties

Physical State : powder : White Color Odor : No odor

Melting Point/Freezing Point : No data available Boiling Point, initial boiling point and Boiling Range : No data available Flammability : Not applicable Lower and upper explosion limit/ flammability limit : Not applicable

Flash Point : No data available **Autoignition Temperature** : No data available **Decomposition Temperature** : No data available

pН : 2.5 (20% water solution: 20 °C)

Kinematic viscosity (Viscosity) : No data available : Almost soluble in water Solubility Partition coefficient n-octanol/ water (log value) : No data available Vapor Pressure : No data available

Density and/ or relative density (specific gravity) : No data available Relative vapour density : No data available Particle characteristics : No data available



[Chemical Foam B Agent]: Yamato Protec Corporation Reference number: SDS No.013-5

Creation date: October 29, 2003 Revision date: May 9, 2022



# 10. Stability and Reactivity

: No data available Reactivity

Chemical stability : Stable under normal handling conditions

Hazardous Reactivity : Mix with hypochlorous acid salt produces toxic chlorine gas. Conditions to Avoid

: Containers such as iron are inappropriate due to metal

immersion.

Avoid contact with oxidizer.

Incompatible Hazardous Materials : Hypochlorous acid salts

Hazardous Decomposition Products : Heating to more than 770°C produces toxic sulfur oxide.

# 11. Toxicological Information

**Acute Toxicity** 

: Not classified Oral Demal : Not classified Inhalation: Gass : Unclassifiable : Unclassifiable :Vapours :Dust and Mist : Unclassifiable Skin Corrosion/Irritation : Unclassifiable Serious Eye Damage/Eye Irritation : Category 2A Respiratory or Skin Sensitization : Unclassifiable Germ-Cell Mutagenicity : Unclassifiable : Unclassifiable Carcinogenicity Reproductive Toxicity : Unclassifiable Specific Target Organ Toxicity (Single exposure): : Unclassifiable

Specific Target Organ Toxicity (Repeated exposure): : Unclassifiable Aspiration Hazard : Unclassifiable

#### 12. Environmental Impact Information

**Ecotoxicity** 

Hazardous to the aquatic environment – Acute hazard : Category 3 Hazardous to the aquatic environment - Long term hazard : Category 3

: Becomes aluminum hydroxide and Persistence and Decomposability

sulfuric acid by hydrolysis

: No data available Bioaccumulation Migration in Soil : No data available Hazardous to the ozonelayer : Unclassifiable



[Chemical Foam B Agent]: Yamato Protec Corporation

Reference number: SDS No.013-5 Creation date: October 29, 2003 Revision date: May 9, 2022

## 13. Disposal Considerations

#### Residual Waste

Disposal should be in accordance with applicable laws and local regulations. The substance should be disposed of by waste disposal contractors licensed by the Governor or by local public entities if appropriate. Waste disposal contractor, if used, should be well informed of potential hazards and toxicity from the waste.

#### Contaminated Containers and Packages

Containers should be properly disposed of in accordance with applicable laws and local regulations. If containers are disposed of, their contents should be completely removed.

## 14. Transport Considerations

United Nations Number : When filled in a fire extinguisher, UN1044

Product Name : FIRE EXTINGUISHERS with compressed or liquefied gas


United Nations Classification : 2.2

Container Class : Not applicable
Dangerous Goods Regulations (IATA) : Not applicable
Marine Pollution Materials : No data available

Special safety Measures : Transport in an acid-proof container with necessary strength.

National Regulations:

Land Regulatory Information Follow the provisions of the Fire Service Act
Aeronautical Regulatory Information Follow the provisions of the Civil Aeronautics Act
Maritime Regulatory Information Follow the provisions of the Ship Safety Act



Creation date: October 29, 2003 Revision date: May 9, 2022



## 15. Applicable Laws

Industrial Safety and Health Act:

Dangerous or Harmful Substances Subject to be Indicated their Names, etc.

(Appended Table 9, Order Article 18 (1) & (2), Article 57-1 of the Act)

Aluminum water-soluble salt (Aluminum sulfate)

Dangerous or Harmful Substances Subject to be Notified their Names, etc.

(Appended Table 9, Order Article 18-2 (1) & (2), Article 57-2 of the Act)

Aluminum water-soluble salt (Cabinet Order No. 37): 99% or above

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof (PRTR Law)

Not applicable

Poisonous and Deleterious Substances Control Act

Not applicable

Fire Service Act

Not applicable as dangerous goods

Civil Aeronautics Act

Not applicable

Ship Safety Act

Not applicable

Water Pollution Control Act

Order Article 3-3 Aluminum compound

Sea Pollution Prevention Act

Not applicable

#### 16. Other Information

This product should be used with the understanding that the use of any chemicals involves unknown potential hazards and toxicity. Hazards and toxicity depend on the environment of use and the storage conditions and period. We suggest that those with knowledge and experience be involved in all stages from use through storage and disposal.

The instructions provided in this document should apply when the product is handled normally. If the product is handled in a special way, proper safety precautions should be taken. Also, it should be used under the responsibility of the user.